

FIG.1a

| NgR NgR2 NgR3 | 1 1 1 | MKRASSGGSR <u>LLAWVLWL</u> QAWRVAT MLPGLRRLLQGPAS <u>ACLLLTLLAL</u> PPVTP MLRKGCCVE <u>LLLLLAG</u> ELPLSG |
|---------------------|-------------------|---|
| LRRNT | 26 30 24 | PCPGACVCYNEPKVTTSCPQQGLQAVPTGIPASSQRIFL SCPMLCTCYSSP-PTVSCQANNFSSVPLSLPPSTQRLFL GCPRDCVCYPSP-MTVSCQAHNFAAIPEGIPEDSERIFL |
| | 65 68 62 | HGNR-ISYVPAASFQSCRNLTILWL QNNL-IRSLRPGTFGPNLLTLWL QNNH-ITFLQQGHFSPAMVTLWI |
| | 89 90 84 | HSNA-LAGIDAAAFTGLTLIEQLDL FSNN-LSTIYPGTFRHLQALEELDL YSNN-ITFIAPNTFEGFVHLEELDL |
| | 113 114 108 | SDNAQLRVLDPTTFRGLGHLHTLHL GDNRHLRSLEPDTFQGLERLQSLHL GDNRQLRTLAPETFQGLVKLHALYL |
| | 138 139 133 | DRCG-LQELGPGLFRGLAALQYLYL YRCQ-LSSLPGNIFRGLVSLQYLYL YKCG-LSSLPAGIFGGLHSLQYLYL |
| | 162 163 157 | QDNN-LQALPDNTFRDLGNLTHLFL QENS-LLHLQDDLFADLANLSHLFL QDNH-IEYLQDDIFVDLVNLSHLFL |
| | 186 187 181 | HGNR-IPSVPEHAFRGLHSLDRLLL HGNR-LRLLTEHVFRGLGSLDRLLL HGNK-LWSLGQGIFRGLVNLDRLLL |

FIG.1b




FIG. 1b-1




FIG.2a



FIG.2b




FIG.2c




FIG.2d




FIG.3







FIG.4a





SUBSTITUTE SHEET (RULE 26)






FIG.5b

SUBSTITUTE SHEET (RULE 26)

| NgR Domain Organization (8 LRRs) | Nogo-66 | MAG-Fe | ОМдр |
|---------------------------------------|---------|--------|------|
| - NgR1 | +++ | +++ | +++ |
| → NgR2 | _ | +++ | _ |
| - ♦ NgR3 | _ | - | _ |
| - | +++ | | |
| - - - - - - - - - - - - - | _ | | - |
| - ← LRR 1+3 | + | | |
| | +++ | | |
| -⊘ LRR 1–5 | + | | |
| | + | | |
| -⊗ ΔLRR 6 | _ | | |
| - | _ | | |

FIG.5c




FIG.6




FIG.7a




FIG.7b

| | *Construct | bdg to brain |
|---------------------|--------------|--------------|
| | sNgR | +++ |
| | sNgR2 | - |
| | sNgR3 | +++ |
| | sNgR(LRR) | - |
| | sNgR3(LRR) | _ |
| | sNgR(CTu) | +++ |
| | sNgR(unique) | _ |
| | sNgR(CTuΔ59) | - |
| | sNgR(CTu∆19) | - |
| | sNgR(CTu∆17) | +++. |
| | sNgR(CTu)-FR | ++ |
| Intersperatures and | sNgR(CTuΔHS) | +/- |
| | sNgR(CTu60) | + |
| | sNgR(CTu41) | - . |
| | sNgR2(CTu) | - |
| | sNgR3(CTu) | +++ |

FIG.7c

| NgR | WLQK | FRG | SSSE |
|----------|------|-----|------|
| ·NgR2 | | | |
| NgR3 | | | |
| MAG | | | |
| Sn | | | |
| L1 | YVHY | FRV | TAIN |
| TAG/ax-1 | MDYE | FRV | SASN |

FIG.7d

WO 2004/090103 PCT/US2004/010328







FIG.7e











FIG.8b



SUBSTITUTE SHEET (RULE 26)





FIG 9

SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

PCT/US2004/010328




FIG.11







FIG. 12a SUBSTITUTE SHEET (RULE 26)








SUBSTITUTE SHEET (RULE 26)

NgR2 interacts with p75NTR

dNgR+nectin-1 I-nitoen+ApM NgR2+nectin-1 Blot: anti-NgR, NgR2 IP: anti-NgR,NgR2 Blot: anti-myc (myc-tag nectin-1 (myc-tag nectin-1 Blot: anti-myc AgR2+p75 SABN LI Blot: anti-NgR2 P: anti-NgR2 Blot: anti-p75 პე+გნ**/**ს ЯвИв AgR+p75 ИдК IP: anti-NgR Blot: anti-p75 Blot: anti-NgR Blot: anti-p75 Cells

(D)



SUBSTITUTE SHEET (RULE 26)